

# New structure diagram of photovoltaic bracket

What is a fixed adjustable photovoltaic support structure?

In order to respond to the national goal of "carbon neutralization" and make more rational and effective use of photovoltaic resources, combined with the actual photovoltaic substation project, a fixed adjustable photovoltaic support structure design is designed.

What are the characteristics of a cable-supported photovoltaic system?

Long span, light weight, strong load capacity, and adaptability to complex terrains. The nonlinear stiffness of the new cable-supported photovoltaic system is revealed. The failure mode of the new structure is discussed in detail. Dynamic characteristics and bearing capacity of the new structure are investigated.

What are the structural static characteristics of a new PV system?

The structural static characteristics of the new PV system under self-weight, static wind load, snow load and their combination effect are further studied according to the Chinese design codes (Load Code For The Design Of Building Structures GB 2009-2012 and Code For Design Of Photovoltaic Power Station GB 50797-2012).

What is a new cable-supported photovoltaic system?

A new cable-supported photovoltaic system is proposed. Long span, light weight, strong load capacity, and adaptability to complex terrains. The nonlinear stiffness of the new cable-supported photovoltaic system is revealed. The failure mode of the new structure is discussed in detail.

How does a cable-supported PV system change structural parameters?

Parametric analyses The new cable-supported PV system often changes structural parameters to adapt to different geographic environments, such as changing the row spacing to obtain different amounts of daylight or enlarging the cable diameter to enhance the bearing capacity of the structure.

How is a PV module fixed?

The PV module is fixed on Cables 1 and 2 by using back-fasteners. The maximum stress is calculated as  $6.60 \times 10^7 \text{ N/m}^2$  at the four nodes connecting the load-bearing cables and the PV module. Similar results are observed in Case 180, as shown in Fig. 13 (b).

Contact us for free full report

Web: <https://www.publishers-right.eu/contact-us/>

Email: [energystorage2000@gmail.com](mailto:energystorage2000@gmail.com)

WhatsApp: 8613816583346

